Product Name: BELACRON 100 WP INSECTICIDE

APVMA Approval No: 86280 / 115231



| Label Name:             | BELACRON 100 WP INSECTICIDE  |  |  |  |
|-------------------------|--|--|--|--|
| Signal Headings:        | POISON   |  |  |  |
| orginal ricadiligs.     | KEEP OUT OF REACH OF CHILDREN  |  |  |  |
|                         | READ SAFETY DIRECTIONS BEFORE OPENING OR USING   |  |  |  |
|                         |  |  |  |  |
| Constituent Statements: | ACTIVE CONSTITUENT 100 g/kg AZAMETHIPHOS (Azamethiphos is an anticholinesterase compound)  |  |  |  |
| Statements.             | (Azametriphos is an anticholinesterase compound)   |  |  |  |
| Mode of Action:         | GROUP 1B INSECTICIDE   |  |  |  |
|                         |  |  |  |  |
| Statement of Claims:    | For the control of nuisance flies in cowsheds, stables, piggeries, poultry sheds and other livestock houses as per the directions for use.   |  |  |  |
|                         |  |  |  |  |
| Net Contents:           | 0.25 - 5 kg  |  |  |  |
| Restraints:             | DO NOT use in a knapsack on back of user.  DO NOT prepare more than 250 g product for the paint application per day.  DO NOT apply to animal housing when animals are present.  DO NOT contaminate animal feedstuffs and drinking water. |  |  |  |
| Directions for Use:     |  |  |  |  |
|                         |  |  |  |  |
|                         |  |  |  |  |

Withholding Periods:

NOT REQUIRED WHEN USED AS DIRECTED.

Trade Advice:

### General Instructions:

Paint application: Mix 250 g of product with 200 mL of lukewarm water, mix well until it forms a paste sufficiently liquid that it can be applied with a paint brush. This amount should be used for paint stripes covering approximately 10 – 12 square meters in total area. If insufficient surface area is available or where some light discolouration would be unacceptable, paint the solutions onto pieces of cardboard or with wood and hang from the ceiling.

Spray application: Mix 250 g of product with 2 litres of lukewarm water and apply diluted product by spray to 60 square metres of surface. Apply spray mixture to just below the point of run-off. If the mixture is allowed to stand, stir well before using.

NOTE: Once dry, the spray mixture may leave a visible deposit on dark or shiny surfaces. Test prior to treatment.

Use in dry conditions may require a light application of water to keep the applied surface moist and attractive to flies. DO NOT apply to run-off.

#### Resistance Warning:

For insecticide resistance management BELACRON 100 WP INSECTICIDE is a Group 1B insecticide.

Some naturally occurring insect biotypes resistant to BELACRON 100 WP INSECTICIDE and other Group 1B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population of BELACRON 100 WP INSECTICIDE or other Group 1B insecticides are used repeatedly. The effectiveness of BELACRON 100 WP INSECTICIDE on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Belgagri S.A accepts no liability for any losses that may result from the failure of BELACRON 100 WP INSECTICIDE to control resistant insects.

BELACRON 100 WP INSECTICIDE may be subjected to specific resistance management strategies. For further information contact your local supplier, Pacific Biologics Pty Limited representative or local agricultural department agronomist.

#### Precautions:

#### CAUTION

DO NOT SPRAY PEOPLE, FOOD, FOOD UTENSILS OR PLACES WHERE FOOD IS PREPARED OR STORED. BEFORE USE – REMOVE OR COVER ALL EXPOSED FOOD STUFFS; COVER ALL DISHES AND UTENSILS AND PLACES WHERE FOOD IS PREPARED OR STORED.

VENTILATE TREATED ROOMS OR BULIDINGS AND ALLOW TREATED SURFACES TO DRY BEFORE RE-OCCUPYING.

IN ABATTOIRS, DO NOT USE IN AREAS WHERE EDIBLE PRODUCT IS PREPARED OR STORED.

#### **RE-ENTRY**

Do not enter treated areas until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

Protections:

PROTECTION OF LIVESTOCK

DO NOT place the product in locations which are accessible to domestic animals, livestock or birds.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS, ENVIRONMENT Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers

# Storage and Disposal:

Store in the closed, original container in a dry, cool and well ventilated area out of direct sunlight. Single rinse before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. Puncture and bury empty bags in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty bags and product should not be burnt.

## Safety Directions:

Harmful if inhaled. May irritate the eyes. Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes. Do not inhale dust or spray mist. When preparing the product for use, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves. When using the prepared spray, wear cotton overalls, over normal clothing, buttoned to the neck and wrist, and a washable hat, elbow-length chemical resistant gloves and a disposable mist face mask covering mouth and nose. If applying by paintbrush, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves. After use, and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

First Aid Instructions:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766.

| First Aid Warnings: |  |
|---------------------|--|
| Thotria warnings.   |  |

# **DIRECTIONS FOR USE**

| SITUATION   | PEST                      | RATE<br>Per L water  | CRITICAL COMMENTS  |  |  |  |  |
|---|---------------------------|--|--|--|--|--|--|
| <b>Before use:</b> Remove animals, remove or cover all feed, feed troughs, water troughs, and milking equipment. <b>After use:</b> ventilate treated area. Clean up thoroughly before allowing re-entry of animals. |                           |  |  |  |  |  |  |
| Cowsheds, stables, piggeries, poultry sheds and other livestock houses  | Flies                     | Spray: Mix 250<br>g of product<br>with 2L of<br>lukewarm<br>water.                                     | Applied using a low-pressure hand wand sprayer. Spray surfaces on which flies are likely to settle, eg warm and sunny wall areas, stall walls, windows.  250 g of BELACRON 100 WP INSECTICIDE is sufficient to treat a building of approx. 100 m² floor area or 200 m² wall area, of which approx. only 30% or 60 m² should be treated directly. |  |  |  |  |
|   | Flies - Bait<br>treatment | Paint: Mix 250<br>g of product<br>with 200 mL of<br>lukewarm<br>water to make<br>a brushable<br>paint. | Paint strips of 5 cm x 30 cm where flies congregate, e.g. warm wall areas, partitions, posts, milk pipes, etc. Where insufficient space is available for painting or where slight discolouration would be unacceptable, paint strips of cardboard, polyethylene or light boards and hang them from the ceiling.                                  |  |  |  |  |